

# Structural Optimization of Automotive Chassis

S. Nakkeeran

**Abstract---** *Improvements in structural components design are often achieved on a terminal and error basis guided by the designer known how. Despite the designer experience must remain a fundamental aspect in design, such an approach is like to allow only marginal product enhancements. A different turn of mind that could boost structural design is needed and could be given by structural optimization methods linked with finite elements analyses. These methods are here briefly introduced, and some applications are presented and discussed with the aim of showing their potential. A particular focus is given to weight reduction in automotive chassis design applications following the experience matured at milechil Lab.*

**Keywords---** *Automotive Chassis, Rather Easily, MMA, Structural Optimization.*

---

## I. INTRODUCTION

Optimization techniques are very promising means for systematic design improvement in mechanics, yet they are not always well known and applied in industry. Despite this, the literature over the topic is quite rich and is addressing both theory and applications. To cite a few applications in the automotive field the works of Chiandussiet al. [1], Pedersen [2], and Duddeck [3] are of interest. They address the optimization of automotive suspensions, crushed structures, and car bodies respectively.

Structural optimization methods are rather peculiar ways of applying more traditional optimization algorithms to structural problems solved by means of finite elements analyses. These techniques are an effective approach through which large structural optimization problems can be solved rather easily.

In particular, with the term structural optimization methods we refer to: (i) topology optimization, (ii) topometry optimization, (iii) topography optimization, (iv) size optimization, (v) shape optimization. In the following some of these techniques will be

In the definition of any optimization problem a few elements are necessary, these are: (i) design space or space of the possible solutions (*e.g.* in structural optimization this is often given by the mesh) (ii) variables, (iii) objective(s) (*e.g.* mass minimization), (iv) optimization constraints (*e.g.* stiffness and/or displacements targets), (v) the mean through which, for a given set of variables, targets and objectives are evaluated (*e.g.*, in our case, finite elements analyses), (vi) the optimization algorithm (*e.g.* in structural optimization this is commonly a gradient-based algorithm, such as MMA).

Trying to simplify in a few words a rather complex and large topic, it could be said that the various structural optimization methods essentially differ from each other in the choice of the variables of the optimization problem as follows.

---

S. Nakkeeran, Assistant Professor, Department of Mechanical Engineering, BIST, BIHER, Bharath Institute of Higher Education & Research, Selaiyur, Chennai. E-mail: nakkeeran.mech@bharathuniv.ac.in

### A. Topology Optimization

In topology optimization it is supposed that the elements density can vary between 0 (void) and 1 (presence of the material). The variables are then given by the element-wise densities. Topology optimization was firstly introduced by Bendsøe and Sigmund and is extensively treated in [4]; it has developed in several directions giving birth to rather different approaches, the most simple and known of which is the SIMP (Single Isotropic Material with Penalization).




Figure 1: Ferrari F458 Italia front hood: reference model and new layout from the optimization results. The optimization was performed in three stages: topology, topometry, and size

### B. Topometry Optimization

The idea behind topometry optimization is very similar to that of topology optimization, the variables being the element-wise thicknesses. Of course, this method does not apply to 3D elements where the concept of thickness could not be defined.

### C. Topography Optimization

Again topography optimization can be applied only to 2D or shell elements and aims at finding the optimum beads pattern in a component. The concept is yet similar to the previous cases and, simply speaking, the variables are given by the set of the elements offsets from the component mid-plane.

### D. Size Optimization

Size optimization is the same as topometry optimization, but in this case the number of variables is greatly reduced in that the shell thicknesses of components are considered in place of the single elements of the domain.

## II. APPLICATION EXAMPLES

### A. Automotive Hood

The internal frame of the Ferrari F458 front hood has been studied aiming at reducing the weight while keeping the same performance target and manufacturability of the reference model. The targets relate to bending and torsion static load cases, compliance when closing the hood, deformations under aerodynamic loads.

A suitable preliminary architecture has been defined by means of topology optimization. The results have been re-interpreted into more performing thinwalled cross-sections. A serie of topometry optimizations followed to find the optimal thickness distribution and identify the most critical areas. The solution was refined through size

optimization. In the end, the weight was reduced by 12 %, yet in the respect of all the performance requirements (Fig. 1).

### **B. Rear Bench**

The rear bench of a car is fundamental to isolate acoustically the passengers compartment from the engine. The bench of Ferrari F430 has been analyzed


#### **1. Structural Optimization**

With the objective of reducing the weight while maintaining the same vibrational performance of the reference panel.

Generally, the damping material distribution is not known during the numerical verification stage, but is decided later during the experimental analysis, where the material is added iteratively to counteract the first normal modes.


In this study vibration-damping material distribution and panel design, in terms of beads and thickness, have been optimized through size and topography optimizations at the same time. Size optimization is applied to control the thickness of the aluminum plate and of the vibrational-damping material. The presence of damping material should be limited to essential parts due to its relatively high weight. Thus, just one thickness variable was created for the aluminum layer because its value should be uniform along the plate, whereas several thickness variables were created locally for the damping layer. Topography optimization was used to improve the beads disposition in the panel. The objective of the optimizations was mass minimization, while the first normal mode frequency was constrained to be outside the range of interest (Fig. 2).

### **C. Automotive Chassis**



(a) Size optimization variables subdivision (b) Optimum configuration deformed shape (c) Damping material optimum thickness distribution

Figure 2: Rear bench coupled optimization. In the results, blue stands for low deformation/thickness, red for high.



(a) domain, or design space (b) optimum chassis configuration (c) optimum roof configuration Figure 3:

Automotive chassis topology optimization. In the results, the density range from 0.1 (blue) to 1.0 (red). analysis, (iv) local stiffness of the suspension, engine, and gearbox joints. The initial design space is given by the provisional vehicle overall dimensions of Ferrari F430 including the roof (Fig. 3(a)). The results for the chassis and the roof are shown in Figs. 3(b) and 3(c). A more detailed discussion on a combined methodology for chassis design including topology, topography and size optimizations was presented in [5] by the authors.

Topology optimization has been applied to the design of an automotive chassis. The objective of the optimization is still the weight reduction while the performance requirements regard handling and safety standards, in detail: (i) global bending and torsional stiffnesses, (ii) crashworthiness in the case of front crash, (iii) modal

### III. CONCLUSIONS

A quick overview on structural optimization methods has been given including various application examples. Their potential has been shown to be large and it is believed that their spreading in mechanical design could boost innovation in industry considerably. Examples in the automotive field have been provided.

To be noted that the different methods have different characteristics and in a design process it is recommended to rely on more than just one technique. For instance, topology and topometry optimizations are more suitable for an early development stage, whose outcome could be further refined through size and shape optimizations. On a general basis these techniques do not deliver the shape of the final product, but they give useful hints to the designer in view of the product development and engineering.

### REFERENCES

- [1] Thooyamani, K.P., Khanaa, V., & Udayakumar, R. (2014). Virtual instrumentation based process of agriculture by automation. *Middle-East Journal of Scientific Research*, 20(12): 2604-2612.
- [2] Udayakumar, R., Kaliyamurthie, K.P., & Khanaa, T.K. (2014). Data mining a boon: Predictive system for university topper women in academia. *World Applied Sciences Journal*, 29(14): 86-90.
- [3] Anbuselvi, S., Rebecca, L.J., Kumar, M.S., & Senthilvelan, T. (2012). GC-MS study of phytochemicals in black gram using two different organic manures. *J Chem Pharm Res.*, 4, 1246-1250.
- [4] Subramanian, A.P., Jaganathan, S.K., Manikandan, A., Pandiaraj, K.N., Gomathi, N., & Supriyanto, E. (2016). Recent trends in nano-based drug delivery systems for efficient delivery of phytochemicals in chemotherapy. *RSC Advances*, 6(54), 48294-48314.
- [5] Thooyamani, K.P., Khanaa, V., & Udayakumar, R. (2014). Partial encryption and partial inference control based disclosure in effective cost cloud. *Middle-East Journal of Scientific Research*, 20(12), 2456-2459.
- [6] Lingeswaran, K., Prasad Karamcheti, S.S., Gopikrishnan, M., & Ramu, G. (2014). Preparation and characterization of chemical bath deposited cds thin film for solar cell. *Middle-East Journal of Scientific Research*, 20(7), 812-814.
- [7] Maruthamani, D., Vadivel, S., Kumaravel, M., Saravanakumar, B., Paul, B., Dhar, S.S., Manikandan, A., & Ramadoss, G. (2017). Fine cutting edge shaped Bi<sub>2</sub>O<sub>3</sub>rods/reduced graphene oxide (RGO) composite for supercapacitor and visible-light photocatalytic applications. *Journal of colloid and interface science*, 498, 449-459.
- [8] Gopalakrishnan, K., Sundeep Aanand, J., & Udayakumar, R. (2014). Electrical properties of doped azopolyester. *Middle-East Journal of Scientific Research*, 20(11). 1402-1412.
- [9] Subhashree, A.R., Parameaswari, P.J., Shanthi, B., Revathy, C., & Parijatham, B.O. (2012). The reference intervals for the haematological parameters in healthy adult population of chennai, southern India. *Journal of Clinical and Diagnostic Research: JCDR*, 6(10), 1675-1680.
- [10] Niranjana, U., Subramanyam, R.B.V., & Khanaa, V. (2010, September). Developing a web recommendation system based on closed sequential patterns. In *International Conference on Advances in Information and Communication Technologies*, 101, 171-179. Springer, Berlin, Heidelberg.
- [11] Slimani, Y., Baykal, A., & Manikandan, A. (2018). Effect of Cr<sup>3+</sup> substitution on AC susceptibility of Ba hexaferrite nanoparticles. *Journal of Magnetism and Magnetic Materials*, 458, 204-212.
- [12] Premkumar, S., Ramu, G., Gunasekaran, S., & Baskar, D. (2014). Solar industrial process heating associated with thermal energy storage for feed water heating. *Middle East Journal of Scientific Research*, 20(11), 1686-1688.
- [13] Kumar, S.S., Karrunakaran, C.M., Rao, M.R.K., & Balasubramanian, M.P. (2011). Inhibitory effects of *Indigofera aspalathoides* on 20-methylcholanthrene-induced chemical carcinogenesis in rats. *Journal of*

- carcinogenesis*, 10.
- [14] Beula Devamalar, P.M., Thulasi Bai, V., & Srivatsa, S.K. (2009). Design and architecture of real time web-centric tele health diabetes diagnosis expert system. *International Journal of Medical Engineering and Informatics*, 1(3), 307-317.
- [15] Ravichandran, A.T., Srinivas, J., Karthick, R., Manikandan, A., & Baykal, A. (2018). Facile combustion synthesis, structural, morphological, optical and antibacterial studies of Bi<sub>1-x</sub>Al<sub>x</sub>FeO<sub>3</sub> (0.0 ≤ x ≤ 0.15) nanoparticles. *Ceramics International*, 44(11), 13247-13252.
- [16] Thovhogi, N., Park, E., Manikandan, E., Maaza, M., & Gurib-Fakim, A. (2016). Physical properties of CdO nanoparticles synthesized by green chemistry via Hibiscus Sabdariffa flower extract. *Journal of Alloys and Compounds*, 655, 314-320.
- [17] Thooyamani, K.P., Khanaa, V., & Udayakumar, R. (2014). Wide area wireless networks-IETF. *Middle-East Journal of Scientific Research*, 20(12), 2042-2046.
- [18] Sundar Raj, M., Saravanan, T., & Srinivasan, V. (2014). Design of silicon-carbide based cascaded multilevel inverter. *Middle-East Journal of Scientific Research*, 20(12), 1785- 1791.
- [19] Achudhan, M., Jayakumar M.P. (2014). Mathematical modeling and control of an electrically-heated catalyst. *International Journal of Applied Engineering Research*, 9(23), 23013.
- [20] Thooyamani, K.P., Khanaa, V., & Udayakumar, R. (2013). Application of pattern recognition for farsi license plate recognition. *Middle-East Journal of Scientific Research*, 18(12), 1768-1774.
- [21] Jebaraj, S., Iniyan S. (2006). Renewable energy programmes in India. *International Journal of Global Energy Issues*, 26(43528), 232-257.
- [22] Sharmila, S., & Jeyanthi Rebecca, L. (2013). Md Saduzzaman., Biodegradation of domestic effluent using different solvent extracts of *Murraya koenigii*. *J Chem and Pharm Res*, 5(2), 279-282.
- [23] Asiri, S., Sertkol, M., Guner, S., Gungunes, H., Batoo, K.M., Saleh, T.A., Manikandan A., & Baykal, A. (2018). Hydrothermal synthesis of CoyZnyMn1-2yFe2O4 nanoferrites: magneto-optical investigation. *Ceramics International*, 44(5), 5751-5759.
- [24] Rani, A.J., & Mythili, S.V. (2014). Study on total antioxidant status in relation to oxidative stress in type 2 diabetes mellitus. *Journal of clinical and diagnostic research: JCDR*, 8(3), 108-110.
- [25] Karthik, B. (2014). Arulselvi, Noise removal using mixtures of projected gaussian scale mixtures. *Middle-East Journal of Scientific Research*, 20(12), 2335-2340.
- [26] Karthik, B., Arulselvi, & Selvaraj, A. (2014). Test data compression architecture for low power VLSI testing. *Middle - East Journal of Scientific Research*, 20(12), 2331-2334.
- [27] Vijayaragavan, S.P., Karthik, B., & Kiran Kumar, T.V.U. (2014). Privacy conscious screening framework for frequently moving objects. *Middle-East Journal of Scientific Research*, 20(8), 1000-1005.
- [28] Kaliyamurthie, K.P., Parameswari, D., & Udayakumar, R. (2013). QOS aware privacy preserving location monitoring in wireless sensor network. *Indian Journal of Science and Technology*, 6(5), 4648-4652.
- [29] Silambarasu, A., Manikandan, A., & Balakrishnan, K. (2017). Room-temperature superparamagnetism and enhanced photocatalytic activity of magnetically reusable spinel ZnFe<sub>2</sub>O<sub>4</sub> nanocatalysts. *Journal of Superconductivity and Novel Magnetism*, 30(9), 2631-2640.
- [30] Jasmin, M., Vigneshwaran, T., & Beulah Hemalatha, S. (2015). Design of power aware on chip embedded memory based FSM encoding in FPGA. *International Journal of Applied Engineering Research*, 10(2), 4487-4496.
- [31] Philomina, S., & Karthik, B. (2014). Wi-Fi energy meter implementation using embedded linux in ARM 9. *Middle-East Journal of Scientific Research*, 20, 2434-2438.
- [32] Vijayaragavan, S.P., Karthik, B., & Kiran Kumar, T.V.U. (2014). A DFIG based wind generation system with unbalanced stator and grid condition. *Middle-East Journal of Scientific Research*, 20(8), 913-917.
- [33] Rajakumari, S.B., & Nalini, C. (2014). An efficient data mining dataset preparation using aggregation in relational database. *Indian Journal of Science and Technology*, 7, 44-46.
- [34] Karthik, B., Kiran Kumar, T.V.U., Vijayaragavan, P., & Bharath Kumaran, E. (2013). Design of a digital PLL using 0.35 μm CMOS technology. *Middle-East Journal of Scientific Research*, 18(12), 1803-1806.
- [35] Sudhakar, P., Jagadeesh, D., Wang, Y., Prasad, C.V., Devi, A.K., Balakrishnan, G., Kim B.S., & Song, J.I. (2013). Fabrication of Borassus fruit lignocellulose fiber/PP composites and comparison with jute, sisal and coir fibers. *Carbohydrate polymers*, 98(1), 1002-1010.
- [36] Kanniga, E., & Sundararajan, M. (2011). Modelling and characterization of DCO using pass transistors. In *Future Intelligent Information Systems*, 86(1), 451-457. Springer, Berlin, Heidelberg.
- [37] Sachithanandam, P., Meikandaan, T.P., & Srividya, T. Steel framed multi storey residential building

- analysis and design. *International Journal of Applied Engineering Research*, 9(22), 5527-5529.
- [38] Kaliyamurthie, K.P., Udayakumar, R., Parameswari, D., & Mugunthan, S.N. (2013). Highly secured online voting system over network. *Indian Journal of Science and Technology*, 6(S6), 4831-4836.
- [39] Sathyaseelan, B., Manikandan, E., Lakshmanan, V., Baskaran, I., Sivakumar, K., Lachumananandasivam, R., Kennedy, J., & Maaza, M. (2016). Structural, optical and morphological properties of post-growth calcined TiO<sub>2</sub> nanopowder for opto-electronic device application: Ex-situ studies. *Journal of Alloys and Compounds*, 671, 486-492.
- [40] Saravanan, T., Sundar Raj M., & Gopalakrishnan K. (2014). SMES technology, SMES and facts system, applications, advantages and technical limitations. *Middle - East Journal of Scientific Research*, 20(11), 1353-1358.
- [41] Hemalatha, S., and Muthaiah, U. (2015). Security with Authorized Deduplication Compression Using JHF and DR Techniques in Hybrid Cloud. *Excel International Journal of Technology, Engineering and Management*, 2(1), 6-9.
- [42] Shanmugapriya, P., and Kavitha, C. (2015). Remote Data Integrity Verification Using RSA Based- PDP (RSA-PDP) in Multi Cloud Storage. *Excel International Journal of Technology, Engineering and Management*, 2(1), 10-13.
- [43] Senthilkumar, V., & Prashanth, K. (2016). A Survey of Rendezvous Planning Algorithms for Wireless Sensor Networks. *International Journal of Communication and Computer Technologies*, 4(1), 29-34.
- [44] Dr.Sundararaju, K., & Rajesh, T. (2016). Control Analysis of Statcom under Power System Faults. *International Journal of Communication and Computer Technologies*, 4(1), 46-50.
- [45] Ban Maheskumar N., & Prof.Sayed Akhtar, H. (2016). An online and offline Character Recognition Using Image Processing Methods-A Survey. *International Journal of Communication and Computer Technologies*, 4(2), 102-107.
- [46] Chaharboor, M., Mokhtabad, S., & Ghonoodi, H. (2016). New approach of constructing ADPLL by a novel Quadrature Ring Oscillator using Low-Q Series LC tanks. *International Academic Journal of Science and Engineering*, 3(4), 44-60.
- [47] Rahin, V.B., & Rahin, A.B. (2016). A Low-Voltage and Low-Power Two-Stage Operational Amplifier Using FinFET Transistors. *International Academic Journal of Science and Engineering*, 3(4), 80-95.
- [48] Roein, M.A., & Golmakani, A. (2016). A low power and high gain CMOS LNA for UWB applications using a gate inductor. *International Academic Journal of Science and Engineering*, 3(4), 122-131.
- [49] Aswini, P., & amala Kannan, T. K. (2015).Barcode Reading using Mobile in Web Application for Dispatch Management. *International Scientific Journal on Science Engineering & Technology*, 18(6), 134-137.
- [50] Dr. Sujatha, P., & Kanimozhi (2015).An Evolution of Big Data and its Challenges. *International Scientific Journal on Science Engineering & Technology*, 18(6), 138-141.